

AFRICA: Monthly Climate Outlook

April to January

Issued: July 2024

[Overview](#)

[Current Status](#)

[Outlooks](#)

[Annex 1 – Supplemental Information](#)

Overview

[Africa Current Status and Outlook – Temperature](#)

[Africa Current Status and Outlook – Rainfall](#)

[Global Outlook – Temperature](#)


[Global Outlook – Rainfall](#)

Africa Current Status and Outlook - Temperature

Current Status: It has been predominately warm or hot over the past three months. The most notable exception to this has been in southern Angola where it has been consistently normal to cold. Parts of the Greater Horn of Africa have seen normal to cool conditions at times, for example Sudan, South Sudan and Ethiopia. The Sahel and Madagascar have been rather mixed too over the last three months.

Outlook: Over the next three months, it is much more likely to be warmer than normal across most of the continent.

3-Month Outlook August to October - Temperature



Below Normal		Near-Normal	Above Normal	
Much More Likely	Likely		Likely	Much More Likely

Africa Current Status and Outlook - Rainfall

Current Status: Slightly wetter than normal conditions across East Africa in April gave way to a normal May, coinciding with the end of the Long Rains season. It's been normal to very dry in June.


Central Africa was very dry in May but wet conditions prevailed in Chad during June. The same pattern has been observed further west in the Sahel, notably Mali and Niger.

Southern Africa, including coastal parts of Mozambique and southern Madagascar, were wet in April and June.

Outlook: Across most of East Africa, normal to dry conditions are expected between August and October, which coincides with the usual break between the Long and the Short Rains. For Uganda, Sudan, parts of Chad, Niger, Ethiopia, Kenya and South Sudan, it is more likely to be wetter than normal. These parts of the Greater Horn of Africa and Sahel usually experience a summer peak in rainfall, so the wet signal suggests greater impacts from the wet season.

Over West Africa, during the ongoing monsoon season, it is likely to be drier than normal in many parts. It is also likely to be drier than normal in much of Southern Africa, especially western parts. Impacts, however, are likely to be limited given this is the dry season for this region.


3-Month Outlook August to October - Rainfall



Global Outlook - Temperature

Outlook: Consistent with a warming climate, warmer than normal conditions are very likely across large parts of the globe. There are limited exceptions, most notably western parts of South America and the central Pacific where near normal or colder than normal conditions are more likely. This linked to cooler sea surface temperatures in the Pacific.

3-Month Outlook August to October - Temperature



Global Outlook - Rainfall

Outlook: Outlook:


El Niño-Southern Oscillation (ENSO) – Both oceanic and atmospheric indicators are consistent with ENSO-neutral conditions. ENSO-neutral is expected to prevail over the next couple of months. There is an increasing chance of La Niña developing during August-October 2024

According to NOAA’s Climate Prediction Center (CPC), La Niña is likely (70% probability) to develop in the period August-October, persisting into the Northern Hemisphere winter 2024-25, this probability increases (79% probability) for November-January. However, other forecasts have differing probabilities suggesting there is uncertainty amongst the predictions. As such, predictability of weather patterns across many parts of the globe is likely to be lower than this time last year when an El Niño event was underway.

Indian Ocean Dipole (IOD) – The Indian Ocean Dipole (IOD) is currently neutral. Most long-range forecast models are predicting the IOD to remain neutral over the coming months.

It is worth noting that global sea surface temperatures (SSTs) have been the warmest on record for each month for over a year now. The global pattern of warmth is likely affecting the typical historical global pattern of sea surface temperatures associated with ENSO and IOD. As the current global ocean conditions have not been observed before, historical comparisons based on past ENSO or IOD events may not be reliable.

3-Month Outlook August to October - Rainfall



Current Status

[Current Status maps](#)


[Western Africa](#)

[Central Africa](#)

[Eastern Africa](#)


[Southern Africa](#)

Current Status – Temperature percentiles




Apr 2024

April



May 2024

May




Jun 2024

June




Notes: The percentiles shown in the map indicate a ranking of temperature, with the 0th percentile being the coolest and the 100th percentile being the warmest in the 1981-2010 climatology. Orange and red shading represent values above the 80th (Warm) and 90th (Hot) percentile, respectively; regions shaded in light and dark blue indicate values below the 20th (Cool) and 10th (Cold) percentile, with respect to the 1981-2010 climatology. The data used in this map are from the NOAA Climate Prediction Center.

Current Status – Precipitation percentiles




Apr 2024

April




May 2024

May



Jun 2024

June



Notes: The percentiles shown in the map indicate a ranking of rainfall, with the 0th percentile being the driest and the 100th percentile being the wettest in the 1981-2010 climatology. Green and dark green shading represent values above the 80th (Wet) and 90th (Very Wet) percentile, respectively; regions shaded in light and dark brown indicate rainfall below the 20th (Dry) and 10th (Very Dry) percentile, with respect to the 1981-2010 climatology. Grey areas on the map mask out regions that receive less than 10mm/month of rainfall on normal in the 1981-2010 climatology for the month. The data used in this map are from the NOAA Climate Prediction Center.

Current Status – Western Africa

Current Status: Temperature

	April	May	June
Sierra Leone	Hot	Hot	Hot
Liberia	Hot	Hot	Hot
Mali	Mixed (1)	Hot	Hot
Ghana	Warm	Hot	Hot
Nigeria	Warm	Mixed (1)	Hot
Cameroon	Hot	Hot	Hot

Current Status: Rainfall

April	May	June
Normal	Normal	Normal
Dry	Normal	Normal
Normal*	Wet	Very Wet
Dry	Normal	Normal
Normal (2)	Very Dry	Mixed
Normal	Very Dry	Normal

Notes:

The table gives an assessment of whether temperature and rainfall across each country have been above normal, normal or below normal over the past three months, using data from the NOAA Climate Prediction Center and the IRI Map Room:

<http://iridl.ldeo.columbia.edu/maproom/>.

* Region usually experiences less than 10mm/month rainfall during the month (dry season).

Additional Information:

(1) Note: Hot in the southwest, cool in the northeast

(2) Note: Very wet in the north

Current Status – Central Africa

Current Status: Temperature

	April	May	June
Niger	Mixed (2)	Mixed	Hot
Chad	Hot	Hot	Hot
DRC	Mixed (1)	Hot	Mixed (3)

Current Status: Rainfall

	April	May	June
Niger	Normal*	Normal*	Wet
Chad	Normal*	Very Dry	Very Wet
DRC	Mixed	Very Dry	Mixed (4)

Notes:

The table gives an assessment of whether temperature and rainfall across each country have been above normal, normal or below normal over the past three months, using data from the NOAA Climate Prediction Center and the IRI Map Room:

<http://iridl.ldeo.columbia.edu/maproom/>.

* Region usually experiences less than 10mm/month rainfall during the month (dry season).

Additional Information:

- (1) Note:** Normal in the west, hot in the east
- (2) Note:** Warm or hot in most regions but cold in the northwest
- (3) Note:** Hot in the north and west, normal elsewhere
- (4) Note:** Dry or very dry in the northeast, normal elsewhere

Current Status – Eastern Africa (1)

Current Status: Temperature

	April	May	June
Sudan	Normal	Mixed (2)	Hot
South Sudan	Warm	Hot	Normal
Uganda	Warm	Hot	Hot
Rwanda	Hot	Hot	Warm

Current Status: Rainfall

	April	May	June
	Normal*	Very Dry	Very Wet
	Normal (3)	Very Dry	Normal
	Very Wet	Normal (4)	Normal
	Wet	Very Dry	Dry

Notes:

The table gives an assessment of whether temperature and rainfall across each country have been above normal, normal or below normal over the past three months, using data from the NOAA Climate Prediction Center and the IRI Map Room:

<http://iridl.ldeo.columbia.edu/maproom/>.

* Region usually experiences less than 10mm/month rainfall during the month (dry season).

Additional Information:

- (1) Note:** Hot in the south, cool in the north
- (2) Note:** Very wet in the southeast
- (3) Note:** Very dry in the west

Current Status – Eastern Africa (2)

Current Status: Temperature

	April	May	June
Tanzania	Mixed (1)	Hot	Hot
Ethiopia	Mixed (2)	Mixed (2)	Mixed (2)
Kenya	Hot	Hot	Hot
Somalia	Normal	Mixed	Mixed (4)

Current Status: Rainfall

	April	May	June
	Normal	Dry	Normal
	Normal (3)	Normal	Dry
	Very Wet	Normal	Dry
	Normal (3)	Normal	Dry

Notes:

The table gives an assessment of whether temperature and rainfall across each country have been above normal, normal or below normal over the past three months, using data from the NOAA Climate Prediction Center and the IRI Map Room:

<http://iridl.ldeo.columbia.edu/maproom/>.

* Region usually experiences less than 10mm/month rainfall during the month (dry season).

Additional Information:

- (1) Note:** Hot in the west, normal in the east
- (2) Note:** Hot in the north, normal or cool elsewhere
- (3) Note:** Wet or very wet in the south
- (4) Note:** Mostly hot but normal or cool in the north

Current Status – Southern Africa

Current Status: Temperature

	April	May	June
South Africa	Warm	Hot	Hot
Zambia	Hot	Hot	Mixed (3)
Zimbabwe	Normal	Hot	Hot
Mozambique	Normal	Hot	Hot
Malawi	Hot	Hot	Hot
Madagascar	Hot	Cold	Hot

Current Status: Rainfall

	April	May	June
	Wet	Normal	Wet
	Normal	Normal*	Normal*
	Normal	Normal*	Normal*
	Normal (1)	Normal	Wet
	Normal	Dry	Normal*
	Mixed	Normal (2)	Mixed (4)

Notes:

The table gives an assessment of whether temperature and rainfall across each country have been above normal, normal or below normal over the past three months, using data from the NOAA Climate Prediction Center and the IRI Map Room:

<http://iridl.ldeo.columbia.edu/maproom/>.

* Region usually experiences less than 10mm/month rainfall during the month (dry season).

Additional Information:

- (1) **Note:** Wet in the south
- (2) **Note:** Very wet in the northeast
- (3) **Note:** Cold in the west, hot in the east
- (4) **Note:** Very wet in the south, normal elsewhere

Outlooks

[Notes for use](#)

[Western Africa](#)

[Central Africa](#)

[Eastern Africa](#)

[Southern Africa](#)

Outlooks: Notes for use

Outlooks for months 4 to 6:

As forecast uncertainty generally increases with longer range **the 4-6-month outlook is less reliable than the 1-3 month outlook**. Outlook information will only be provided when the model data signals likely outcomes. Additionally, the longer range outlook utilises fewer models because not all seasonal models are available for the extended range.

Information provided in this presentation should be used to raise early awareness of potential hazards only and should be updated with the 3-month outlook when available.

Climatological odds:

A forecast is only provided in the outlooks where there is information in the model data about likely outcomes. Therefore, where the likelihoods for above, near and below normal conditions are evenly balanced the phrase 'climatological odds' will be used. This means the outcome could fall anywhere within the possible climatological range. Near-normal conditions should not necessarily be assumed, and users should update with shorter-term forecasts when available.

Outlook: August to January – Western Africa (1)

		Forecast summary		
		August	August to October	November to January
Sierra Leone	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Much more likely to be warmer than normal
	Rainfall	Likely to be drier than normal	Likely to be drier than normal	Climatological odds
Liberia	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Much more likely to be warmer than normal
	Rainfall	Likely to be drier than normal	Likely to be drier than normal	Climatological odds
Mali	Temperature	Much more likely to be warmer than normal in the far northeast; Likely to be warmer than normal elsewhere	Much more likely to be warmer than normal	Much more likely to be warmer than normal in the far west; Likely to be warmer than normal elsewhere
	Rainfall	Likely to be wetter than normal	Likely to be drier than normal in the far west; Climatological odds elsewhere	Likely to be near-normal
Ghana	Temperature	Likely to be warmer than normal	Much more likely to be warmer than normal	Much more likely to be warmer than normal
	Rainfall	Likely to be drier than normal	Likely to be drier than normal	Likely to be drier than normal

Outlooks for months 4 to 6: As forecast uncertainty generally increases with longer range the 4-6-month outlook is less reliable than the 1-3 month outlook. Outlook information will only be provided when the model data signals likely outcomes. Additionally, the longer range outlook utilises fewer models because not all seasonal models are available for the extended range. Information provided in this presentation should be used to raise early awareness of potential hazards only and should be updated with the 3-month outlook when available.

Outlook: August to January – Western Africa (2)

		Forecast summary		
		August	August to October	November to January
Nigeria	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Much more likely to be warmer than normal in the south; Likely to be warmer than normal elsewhere
	Rainfall	Likely to be drier than normal in the south; Climatological odds elsewhere	Likely to be drier than normal in the south; Climatological odds elsewhere	Likely to be near-normal in the north; Likely to be drier than normal in the south.
Cameroon	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Much more likely to be warmer than normal
	Rainfall	Likely to be drier than normal	Likely to be drier than normal	Climatological odds

Outlooks for months 4 to 6: As forecast uncertainty generally increases with longer range the 4-6-month outlook is less reliable than the 1-3 month outlook. Outlook information will only be provided when the model data signals likely outcomes. Additionally, the longer range outlook utilises fewer models because not all seasonal models are available for the extended range. Information provided in this presentation should be used to raise early awareness of potential hazards only and should be updated with the 3-month outlook when available.

Outlook: August to January – Central Africa

		Forecast summary		
		August	August to October	November to January
Niger	Temperature	Much more likely to be warmer than normal in the far north and the far south; Climatological odds elsewhere	Much more likely to be warmer than normal in the far north and the far south; Climatological odds elsewhere	Likely to be warmer than normal
	Rainfall	Likely to be wetter than normal	Likely to be wetter than normal	Likely to be near-normal
Chad	Temperature	Much more likely to be warmer than normal in the far north; Climatological odds elsewhere	Much more likely to be warmer than normal in the far north and the far south; Climatological odds elsewhere	Likely to be warmer than normal
	Rainfall	Likely to be wetter than normal	Likely to be wetter than normal	Likely to be near-normal
Democratic Republic of Congo	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Much more likely to be warmer than normal
	Rainfall	Likely to be drier than normal in the west; Climatological odds elsewhere	Likely to be drier than normal in the far west; Climatological odds elsewhere	Climatological odds

Outlooks for months 4 to 6: As forecast uncertainty generally increases with longer range the 4-6-month outlook is less reliable than the 1-3 month outlook. Outlook information will only be provided when the model data signals likely outcomes. Additionally, the longer range outlook utilises fewer models because not all seasonal models are available for the extended range. Information provided in this presentation should be used to raise early awareness of potential hazards only and should be updated with the 3-month outlook when available.

Outlook: August to January – Eastern Africa (1)

		Forecast summary		
		August	August to October	November to January
Sudan	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Likely to be warmer than normal
	Rainfall	Likely to be wetter than normal	Likely to be wetter than normal	Likely to be near-normal
South Sudan	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Likely to be warmer than normal
	Rainfall	Likely to be wetter than normal in the east; Climatological odds elsewhere	Likely to be wetter than normal in the east; Climatological odds elsewhere	Likely to be drier than normal
Uganda	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Likely to be warmer than normal
	Rainfall	Likely to be wetter than normal	Likely to be wetter than normal	Likely to be drier than normal
Rwanda	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Likely to be warmer than normal
	Rainfall	Climatological odds	Climatological odds	Climatological odds

Outlooks for months 4 to 6: As forecast uncertainty generally increases with longer range the 4-6-month outlook is less reliable than the 1-3 month outlook. Outlook information will only be provided when the model data signals likely outcomes. Additionally, the longer range outlook utilises fewer models because not all seasonal models are available for the extended range. Information provided in this presentation should be used to raise early awareness of potential hazards only and should be updated with the 3-month outlook when available.

Outlook: August to January – Eastern Africa (2)

		Forecast summary		
		August	August to October	November to January
Tanzania	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Likely to be warmer than normal
	Rainfall	Climatological odds	Climatological odds	Climatological odds
Ethiopia	Temperature	Much more likely to be warmer than normal in central parts; Likely to be warmer than normal elsewhere	Much more likely to be warmer than normal	Much more likely to be warmer than normal in the southeast; Likely to be warmer than normal elsewhere
	Rainfall	Likely to be wetter than normal	Climatological odds in the south; Likely to be wetter than normal in the north.	Likely to be drier than normal
Kenya	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Likely to be warmer than normal
	Rainfall	Likely to be wetter than normal	Likely to be wetter than normal in the west; Climatological odds elsewhere	Likely to be drier than normal
Somalia	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Much more likely to be warmer than normal
	Rainfall	Climatological odds	Likely to be drier than normal in the south; Climatological odds elsewhere	Likely to be drier than normal

Outlooks for months 4 to 6: As forecast uncertainty generally increases with longer range the 4-6-month outlook is less reliable than the 1-3 month outlook. Outlook information will only be provided when the model data signals likely outcomes. Additionally, the longer range outlook utilises fewer models because not all seasonal models are available for the extended range. Information provided in this presentation should be used to raise early awareness of potential hazards only and should be updated with the 3-month outlook when available.

Outlook: August to January – Southern Africa (1)

		Forecast summary		
		August	August to October	November to January
South Africa	Temperature	Likely to be warmer than normal	Much more likely to be warmer than normal in the north and east; Likely to be warmer than normal elsewhere	Likely to be warmer than normal
	Rainfall	Climatological odds	Climatological odds in the south and east; Likely to be drier than normal elsewhere	Climatological odds
Zambia	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Likely to be warmer than normal
	Rainfall	Likely to be near-normal	Likely to be drier than normal in the far west; Climatological odds elsewhere	Climatological odds
Zimbabwe	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Likely to be warmer than normal
	Rainfall	Likely to be near-normal	Likely to be drier than normal	Climatological odds
Mozambique	Temperature	Much more likely to be warmer than normal in the north; Likely to be warmer than normal elsewhere	Much more likely to be warmer than normal	Likely to be warmer than normal
	Rainfall	Climatological odds	Climatological odds	Climatological odds

Outlook: August to January – Southern Africa (1)

		Forecast summary		
		August	August to October	November to January
Malawi	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Likely to be warmer than normal
	Rainfall	Likely to be near-normal	Climatological odds	Climatological odds
Madagascar	Temperature	Much more likely to be warmer than normal	Much more likely to be warmer than normal	Much more likely to be warmer than normal
	Rainfall	Likely to be near-normal	Climatological odds	Climatological odds

Outlooks for months 4 to 6: As forecast uncertainty generally increases with longer range the 4-6-month outlook is less reliable than the 1-3 month outlook. Outlook information will only be provided when the model data signals likely outcomes. Additionally, the longer range outlook utilises fewer models because not all seasonal models are available for the extended range. Information provided in this presentation should be used to raise early awareness of potential hazards only and should be updated with the 3-month outlook when available.

Annex 1 – Supplemental Information

For further information

WMO Lead Centre for Long-Range Forecast Multi-Model Ensemble (LC-LRFMME)

https://www.wmolc.org/seasonPmmeUI/plot_PMME

International Research Institute for Climate and Society (IRI)

<http://iridl.ldeo.columbia.edu/maproom/>

NOAA El Niño technical info

<https://www.ncei.noaa.gov/access/monitoring/enso/>

Met Office

<https://www.metoffice.gov.uk/services/government/international-development>

Climate Outlook forums:

- [Greater Horn of Africa Climate Outlook Forum \(GHACOF\) \(May 2024\)](#)
- [PRÉvisions climatiques Saisonnières en Afrique Soudano-Sahélienne \(PRESASS\) \(April 2024\)](#)
- [Southern African Regional Climate Outlook Forum \(SARCOF\) \(September 2023\)](#)
- [PRÉvisions climatiques Saisonnières en Afrique, pays du Golfe de Guinée \(PRESAGG\) \(March 2024\)](#)
- [South-West Indian Ocean Climate Outlook Forum \(SWIOCOF\) \(September 2022\)](#)

Technical notes

The [WMO lead centre for long-range forecast multi-model ensemble \(LC-LRFMME\)](#) produce a probabilistic multi-model mean forecast product in which the multi-model mean is based on uncalibrated model output with a model weighting system that accounts for errors in both the forecast probability and ensemble mean. The method used by LC-LRFMME separately computes a probabilistic forecast and calculates tercile probabilities with respect to climatology for each individual model, before creating the weighted multi-model mean. In seasonal prediction, shifts in the tercile probabilities are always closely associated with the shifts in the probability of extremes, and we can use the probability of terciles to provide information on the likelihood of a above- or below- normal conditions. The thresholds used in the forecast summaries are defined below.

Seasonal forecasts rely on the aspects of the global weather and climate system that are more predictable, such as tropical sea-surface temperatures or the El Niño–Southern Oscillation (ENSO). However, whilst such forecasts may be able to show what is more or less likely to occur, they acknowledge that other outcomes are possible.

In addition, forecast uncertainty generally increases with longer range so the 6-month outlook is less reliable. It is also based on less information, because not all models are available to this range. Therefore the information presented here should be used to raise early awareness of potential hazards, and should be updated with the 3-month outlook when available.

In the report and tables precipitation is referred to as rainfall but in fact encompasses any form of water, liquid or solid, falling from the sky. Temperatures are the (2 metre) near-surface temperature.

Description	Definition
Much more likely to be below normal	When probability of lower tercile > 70%
More likely to be below normal	When probability of lower tercile is 40-70%
Likely to be near-normal	When probability of middle tercile is 40-70%
Much more likely to be near-normal	When probability of middle tercile > 70%
Likely to be above normal	When probability of upper tercile is 40-70%
Much more likely to be above normal	When probability of upper tercile > 70%
Climatological odds	When probabilities for all categories are roughly 33%

Global Producing Centres (GPC) forecasts used by WMO LC-LRFMME:

- GPC CPTC (INPE),
- GPC ECMWF,
- GPC Exeter (Met Office),
- GPC Melbourne (BOM),
- GPC Montreal (CMC),
- GPC Moscow (Hydromet Centre of Russia),
- GPC Offenbach (DWD),
- GPC Pretoria (SAWS),
- GPC Seoul (KMA),
- GPC Tokyo (JMA),
- GPC Toulouse (Meteo France),
- GPC Washington (NCEP)

Enquiries

Email: internationaldevelopment@metoffice.gov.uk

Web: <https://www.metoffice.gov.uk/services/government/international-development>